

Fighting Weed With **Wheadter**

- ☑ THE ENVIRONMENTAL CHOICE
- ☑ NO PESTICIDES
- ☑ NO FIRE HAZARD



HØJTRYK A/S

Mobile Wheader

1008 Mobil

The original Wheader by KENT
(220V, 50Hz og 10A).

Wheel mounted model for increased flexibility.

Delivered with:

- ✓ 2 layer High pressure hose
- ✓ Gun Handle
- ✓ Stainless steel double Lance
- ✓ Stainless steel Lance with 10cm Jet

All models are equipped with 80kW burner for quick and efficient heating, as well as flame surveillance and hour meter.



MODEL: WHEADTER MOBILE	WORKING PRESSURE/BAR	WATER L/MIN.	MAX TEMPERATURE	PUMP PISTONS	ENGINE POWER	VOLTAGE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
High pressure specifications	100	10	110°	3	1,85/2,1	1x240V	1000	580	750	160
Weed control specifications	10	10	110°	3	1,85/2,1	1x240V	1000	580	750	160



Stationary Wheader

Electric 1008ST Heavy

The stationary electrically powered Wheader model can be used for mounting in a van, trailer or equivalent.

It is recommended to purchase a generator, which is offered in both diesel and petrol versions. The stationary Wheader has the same functions as the mobile unit, which acts both as a weed fighter and a pressure washer.

There is a wealth of optional extras that can be purchased to make the workflow easier for the user. The model is with frequency control and dual digital thermostat.

See the range of special lances for weed control on the opposite page:

See examples of optional extras below:

MODEL: WHEADTER STATIONARY	WORKING PRESSURE/BAR	WATER L/MIN.	MAX TEMPERATURE	PUMP PISTONS	ENGINE POWER	VOLTAGE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
High pressure specifications	100	10	110°	3	1,85/2,1	1x240V	1200	800	950	225
Weed control specifications	10	10	110°	3	1,85/2,1	1x240V	1200	800	950	225



Electric Hose reel
KIT18SLRUL



Remote Control
KIT17FJERNB



Diesel Generator



Petrol Generator

Stationary Wheader Battery

HWE1010ST

Stationary battery Wheader works with ceramic pump and double-sided boiler. The optimal environmentally friendly choice.

The batteries can be fully charged over night, and at the same time have a running time of 8 hours.

With a 360L water tank and 30m hose reel, this weed fighter is extremely flexible in use. It is particularly suitable for installation on a trailer, a golfcar or in a van.

This model, unlike the other models in the series, cannot be used as a pressure washer.



MODEL: WHEADTER STATIONARY	WORKING PRESSURE/BAR	WATER L/MIN.	MAX TEMPERATURE	PUMP PISTONS	ENGINE POWER	VOLTAGE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
Weed control specifications	7	10	110°	3	400AH	12V x 2 = 24V	1200	810	1250	330



Stationary Wheader Petrol

HWP1010ST & HWP2015ST

The stationary petrol-powered Wheader model is generally used for mounting in a panel van or trailer. The petrol model comes with 30m hose reel.

The stationary Petrol Wheader has the same functions as the mobile and stationary El-Wheader, which acts as both a weed fighter and a pressure washer.

MODEL: WHEADTER STATIONARY	WORKING PRESSURE/BAR	WATER L/MIN.	MAX TEMPERATURE	PUMP PISTONS	ENGINE POWER	VOLTAGE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
High pressure specifications	150/200	14/15	110°	3	7/14 HP	Petrol	1200	810	1250	305
Weed control specifications	10	10	110°	3	7/14 HP	Petrol	1200	810	1250	305

Lances for weed control:

Standard for all Wheader models



Lance with 10cm shovel head
045177

Optional additional



Lance with 40cm nozzle blob and wheels
046075

Wheadter Tractor

HD 9350 DB

The tractor solution is obvious where larger areas requires treatment. The pump is driven of the Hydraulic system on tractors. Under the pump and boiler a washbox is mounted in which the water is distributed in zones. At the rear is an 800L water tank.

Front and rear camera as optional accessory

KIT26KAMERAX2



*Tractor supplied by customer



MODEL: WHEADTER TRACTOR	WORKING PRESSURE/BAR	WATER L/MIN	MAX TEMPERA- TURE	PUMP PISTONS	ENGINE CAPACITY HYDRAULIC CC.	ENGINE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
Wheadter lance	100	20	110°	3	8,60/11,7	Hydraulic			Customer specific	
Wheadter Waterbox	0	20	110°	3	8,60/11,7	Hydraulic			Customer specific	




Customer specific solutions

Having one of the most versatile ranges of weed control equipment we at KENT can custom make our equipment to fit any model of tractor, van or electric powered carts. Pictured is a model custom made tractor solution equipped with double boiler, hydraulic pump and larger water tank.

Let us know your requirement and we can tailor your next solution to your environmentally friendly weed removal equipment.

MODEL: WHEADTER TRACTOR	WORKING PRESSURE/BAR	WATER L/MIN	MAX TEMPERA- TURE	PUMP PISTONS	ENGINE CAPACITY HYDRAULIC CC.	ENGINE	LENGTH MM.	WIDTH MM.	HEIGHT MM.	WEIGHT KG
Wheadter lance	100	20	110°	3	8,60/11,7	Hydraulic			Customer specific	
Wheadter Waterbox	0	20	110°	3	8,60/11,7	Hydraulic			Customer specific	



KENT HØJTRYK A/S
+45 7519 8033
www.kent-as.dk
info@kent-as.dk